

Practical Applications in CS I - Session 02.02

```
Getting number of columns
public static void main(String[] args) throws SQLException {
      String database = "jdbc:odbc:Driver={Microsoft Access Driver (*.mdb,
*.accdb)};DBQ=D:\\example 01.accdb;";
      Connection conn = DriverManager.getConnection(database, "", "");
      Statement s = conn.createStatement();
      String sqlstr = "SELECT * FROM students";
      s.execute(sqlstr);
      ResultSet rs = s.getResultSet();
      ResultSetMetaData rsMetaData = rs.getMetaData();
      int numberOfColumns = rsMetaData.getColumnCount();
      while ((rs != null) && (rs.next())) {
        for (int i=1;i<=numberOfColumns;i++)</pre>
        System.out.print(rs.getString(i) + "\t|");
      System.out.println();
");
      s.close(); // Close the statement
      conn.close();
  }
```

```
Jupdate
public static void main(String[] args) throws SQLException {
    String database = "jdbc:odbc:Driver={Microsoft Access Driver (*.mdb,
    *.accdb)};DBQ=D:\\example 01.accdb;";
    Connection conn = DriverManager.getConnection(database, "", "");
    Statement s = conn.createStatement(ResultSet.TYPE_SCROLL_SENSITIVE,
    ResultSet.CONCUR_UPDATABLE);
```



```
String sqlstr = "SELECT * FROM students";
   s.execute(sqlstr);
    ResultSet rs = s.getResultSet();
    ResultSetMetaData rsMetaData = rs.getMetaData();
    int numberOfColumns = rsMetaData.getColumnCount();
   Scanner sc = new Scanner(System.in);
   String choice;
   while (true) {
*******"):
     System.out.println("[1] display table contents.");
     System.out.println("[2] show a record.");
     System.out.println("[3] update a record.");
     System.out.println("[Q] to Quit.");
     System.out.print("select an option :");
     choice = sc.next();
     if (choice.charAt(0) == '1') {
       rs.first();
       while ((rs != null) && (rs.next())) {
         for (int i = 1; i <= numberOfColumns; i++) {
           System.out.print(rs.getString(i) + "\t|");
         System.out.println();
);
     } else if (choice.charAt(0) == '2') {
       System.out.printf("Enter record number (1:99):");
       String st = sc.next();
       int rec = Integer.parseInt(st);
       rs.absolute(rec);
       for (int i = 1; i <= numberOfColumns; i++) {
         System.out.print(rs.getString(i) + "\t|");
       System.out.println();
```



```
);
      } else if (choice.charAt(0) == '3') {
        System.out.print("Enter record number :");
        String st = sc.next();
        int rec = Integer.parseInt(st);
        rs.absolute(rec);
        System.out.print("Enter field number :");
        st = sc.next();
        int fld = Integer.parseInt(st);
        System.out.print("Enter field new value :");
        st = sc.next();
        rs.updateString(fld, st);
        rs.updateRow();
      } else if ((choice.charAt(0) == 'q') | (choice.charAt(0) == 'Q')) {
        break;
      } else {
        System.out.print("Invalid choice.");
      }
    s.close(); // Close the statement
    conn.close();
```

```
4 Insert
    public static void main(String[] args) throws SQLException {
        //Class.forName("sun.jdbc.odbc.JdbcOdbcDriver");
        String database = "jdbc:odbc:Driver={Microsoft Access Driver (*.mdb,
        *.accdb)};DBQ=D:\\example 01.accdb;";
        Connection conn = DriverManager.getConnection(database, "", "");
        Statement s = conn.createStatement(ResultSet.TYPE_SCROLL_SENSITIVE,
        ResultSet.CONCUR_UPDATABLE);
        String sqlstr = "SELECT * FROM students";
        s.execute(sqlstr);
        ResultSet rs = s.getResultSet();
```



```
ResultSetMetaData rsMetaData = rs.getMetaData();
   int numberOfColumns = rsMetaData.getColumnCount();
   Scanner sc = new Scanner(System.in);
   String choice;
   while (true) {
*******"):
     System.out.println("[1] display table contents.");
     System.out.println("[2] show a record.");
     System.out.println("[3] update a record.");
     System.out.println("[4] insert a record.");
     System.out.println("[Q] to Quit.");
     System.out.print("select an option :");
     choice = sc.next();
     if (choice.charAt(0) == '1') {
       rs.first();
       while ((rs != null) && (rs.next())) {
         for (int i = 1; i <= numberOfColumns; i++) {
           System.out.print(rs.getString(i) + "\t|");
         System.out.println();
} else if (choice.charAt(0) == '2') {
       System.out.printf("Enter record number (1:99):");
       String st = sc.next();
       int rec = Integer.parseInt(st);
       rs.absolute(rec);
       for (int i = 1; i <= numberOfColumns; i++) {
         System.out.print(rs.getString(i) + "\t|");
       System.out.println();
} else if (choice.charAt(0) == '3') {
       System.out.print("Enter record number :");
```



```
String st = sc.next();
    int rec = Integer.parseInt(st);
    rs.absolute(rec);
    System.out.print("Enter field number :");
    st = sc.next();
    int fld = Integer.parseInt(st);
    System.out.print("Enter field new value :");
    st = sc.next();
    rs.updateString(fld, st);
    rs.updateRow();
  } else if (choice.charAt(0) == '4') {
    String st;
    rs.moveToInsertRow();
    while (true) {
       System.out.print("Enter field number (q/Q) to end:");
       st = sc.next();
       if ((st.charAt(0) == 'Q') | | (st.charAt(0) == 'q')) {
         rs.insertRow();
         break;
       int fld = Integer.parseInt(st);
       System.out.print("Enter field value :");
       st = sc.next();
       rs.updateString(fld, st);
    }
  } else if ((choice.charAt(0) == 'q') | (choice.charAt(0) == 'Q')) {
    break;
  } else {
    System.out.print("Invalid choice.");
  }
s.close(); // Close the statement
conn.close();
```